



Arteriography coronary	May be appropriate	Limited	☼☼☼ 1-10 mSv		6	6	0	0	0	4	5	3	6	0	0	
		References	Study Quality													
		8 (2208265)	4													
US echocardiography transthoracic resting	May be appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	5	5	0	1	1	6	7	2	0	0	1	
		References	Study Quality													
		18 (33421195)	2													
		19 (31981242)	3													
CT coronary calcium	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv		3	3	7	1	6	0	3	0	0	0	0	
CT chest with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	5	3	4	2	2	1	0	0	0	
CT heart function and morphology with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼☼ 10-30 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	3	3	8	3	0	1	0	0	0	
MRI heart function and morphology without IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	3	3	5	3	4	3	0	0	1	1	0	
MRI heart function and morphology without and with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	3	3	5	3	8	2	0	0	0	0	0	
US echocardiography transesophageal	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	3	3	4	3	4	1	3	1	0	1	0	
CTA chest with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	2	2	5	7	4	2	0	0	0	0	0	
CT chest without and with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	2	2	7	4	3	1	1	1	0	0	0	
MRA chest without IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	8	3	3	2	0	0	1	0	0	

MRA chest without and with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	7	2	3	2	2	0	0	1	0
MRI heart function with stress without IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	6	3	5	0	1	1	1	0	0
MRI heart function with stress without and with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	6	6	4	2	0	0	0	0	0
MRA chest with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	9	2	7	0	0	0	0	0	0
CTA chest without and with IV contrast	Usually not appropriate	Expert Consensus	⊗⊗⊗ 1-10 mSv	⊗⊗⊗⊗ 3-10 mSv [ped]	2	2	6	6	6	0	0	0	0	0	0
Rb-82 PET/CT MPI rest and stress	Usually not appropriate	Expert Consensus	⊗⊗⊗⊗ 10-30 mSv		2	2	8	4	4	0	1	0	0	0	0
SPECT or SPECT/CT MPI rest and stress	Usually not appropriate	Expert Consensus	⊗⊗⊗⊗ 10-30 mSv	⊗⊗⊗⊗⊗ 10-30 mSv [ped]	2	2	8	3	4	0	1	0	0	1	0
CT chest without IV contrast	Usually not appropriate	Expert Consensus	⊗⊗⊗ 1-10 mSv	⊗⊗⊗⊗ 3-10 mSv [ped]	1	1	10	6	1	0	0	0	0	0	0
US echocardiography transthoracic stress	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	1	1	14	1	2	1	0	0	0	0	0

**Variant 2: Adult. Pretreatment planning for known coronary artery anomaly. Initial Imaging.**

Procedure	Appropriateness Category	SOE	Adults RRL	Peds RRL	Rating	Median	Final Tabulations								
							1	2	3	4	5	6	7	8	9
CTA coronary arteries with IV contrast	Usually appropriate	Limited	⊗⊗⊗ 1-10 mSv	⊗⊗⊗⊗ 3-10 mSv [ped]	9	9	0	0	0	0	0	1	1	2	13
			References	Study Quality											
			21 (25304820)	3											

Arteriography coronary	Usually appropriate	Expert Consensus	☼☼☼ 1-10 mSv		7	7	0	0	0	0	0	0	13	3	2	
MRA coronary arteries without IV contrast	May be appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	6	6	0	0	0	1	7	8	2	0	0	
MRA coronary arteries without and with IV contrast	May be appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	6	6	0	0	0	2	3	9	4	0	0	
MRI heart function with stress without IV contrast	May be appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	6	6	0	0	0	2	7	7	2	0	0	
MRI heart function with stress without and with IV contrast	May be appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	6	6	0	0	1	2	5	2	7	0	0	
		References			Study Quality											
		22 (36129514)			2											
US echocardiography transthoracic stress	May be appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	6	6	0	0	0	2	6	8	1	1	0	
SPECT or SPECT/CT MPI rest and stress	May be appropriate	Limited	☼☼☼☼ 10-30 mSv	☼☼☼☼☼ 10-30 mSv [ped]	6	6	0	0	1	3	4	6	3	1	0	
		References			Study Quality											
		23 (27539240)			4											
MRI heart function and morphology without IV contrast	May be appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	5	5	0	0	0	3	7	8	0	0	0	
MRI heart function and morphology without and with IV contrast	May be appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	5	5	0	0	0	2	8	8	0	0	0	
US echocardiography transthoracic resting	May be appropriate (Disagreement)	Expert Opinion	○ 0 mSv	○ 0 mSv [ped]	5	5	0	0	3	5	4	3	2	1	0	
Rb-82 PET/CT MPI rest and stress	May be appropriate (Disagreement)	Expert Opinion	☼☼☼☼ 10-30 mSv		5	5	1	0	3	3	3	6	2	0	0	

CTA chest with IV contrast	May be appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	4	4	6	0	2	4	4	1	0	0	0
CT chest with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	6	2	3	2	3	1	0	0	0
CT heart function and morphology with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼☼ 10-30 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	2	3	10	0	2	1	0	0	0
US echocardiography transesophageal	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	3	3	6	0	3	1	5	2	0	0	0
CTA chest without and with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	6	0	3	4	2	2	0	0	0
CT coronary calcium	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv		2	2	8	1	4	0	3	1	0	0	0
CT chest without and with IV contrast	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	2	2	7	3	2	3	1	1	0	0	0
MRA chest without IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	8	3	5	1	0	0	0	0	0
MRA chest without and with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	7	3	4	1	0	1	1	0	0
MRA chest with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	7	2	5	0	1	1	1	0	0
CT chest without IV contrast	Usually not appropriate	Expert Consensus	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	1	1	10	3	3	1	0	0	0	0	0

## **Appendix Key**

A more complete discussion of the items presented below can be found by accessing the supporting documents at the designated hyperlinks.

**Appropriateness Category:** The panel's recommendation for a procedure based on the assessment of the risks and benefits of performing the procedure for the specified clinical scenario.

**SOE:** Strength of Evidence. The assessment of the amount and quality of evidence found in the peer reviewed medical literature for an appropriateness recommendation.

- **References:** The citation number and PMID for the reference(s) associated with the recommendation.
- **Study Quality:** The assessment of the quality of an individual reference based on the number of study quality elements described in the reference.

**RRL:** Relative Radiation Level. A population based assessment of the amount of radiation a typical patient may be exposed to during the specified procedure.

**Rating:** The final rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

**Median:** The median rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

**Final tabulations:** A histogram showing the number of panel members who rated the procedure as noted in the column heading (ie, 1, 2, 3, etc.).

Additional supporting documents about the AC methodology and processes can be found at [www.acr.org/ac](http://www.acr.org/ac).