

30 (11275723)	3
29 (18710440)	3
28 (20148365)	3
16 (14512329)	2
15 (15100536)	2
13 (-3195129)	4
5 (30803729)	4
3 (30523454)	3
44 (21843882)	2

MRI abdomen without and with IV contrast	Usually appropriate	Strong	0 0 mSv	0 0 mSv [ped]	8	8	0	0	1	0	0	0	5	5	5
--	---------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
69 (29724245)	2
68 (18076946)	3
67 (11832712)	3
66 (15665685)	2
65 (31741596)	3
64 (15615960)	2
63 (15100535)	2
62 (14684543)	3
48 (12090319)	4
47 (9888732)	4
33 (12704036)	3
13 (-3195129)	4
5 (30803729)	4

CT abdomen with IV contrast	Usually appropriate	Strong	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	7	7	0	0	1	0	1	1	6	4	3
-----------------------------	---------------------	--------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
46 (11734949)	3
45 (10350288)	4
44 (21843882)	2

43 (23325783)	2
42 (30456180)	4
41 (27867332)	3
40 (25304287)	3
39 (11796275)	2
38 (28296683)	3
37 (31607203)	2
36 (25410425)	2
35 (20937417)	2
34 (17082687)	1
33 (12704036)	3
32 (21342488)	3
31 (18937590)	3
30 (11275723)	3
29 (18710440)	3
28 (20148365)	3
27 (23108238)	M
26 (10737472)	2
25 (24321262)	4
24 (18311784)	3
23 (19007371)	3
22 (17286945)	M
21 (7954317)	4
20 (24819422)	3
19 (25593113)	3
18 (24566409)	3
17 (2196982)	4
16 (14512329)	2
15 (15100536)	2
14 (16304081)	3
13 (-3195129)	4

CT abdomen without and with IV contrast	May be appropriate (Disagreement)	Expert Opinion	☼☼☼☼ 10-30 mSv	☼☼☼☼☼ 10-30 mSv [ped]	5	5	3	2	5	2	0	1	2	1	0
---	-----------------------------------	----------------	----------------	-----------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
46 (11734949)	3
45 (10350288)	4
44 (21843882)	2
43 (23325783)	2
42 (30456180)	4
41 (27867332)	3
40 (25304287)	3
39 (11796275)	2
38 (28296683)	3
37 (31607203)	2
36 (25410425)	2
35 (20937417)	2
34 (17082687)	1
33 (12704036)	3
32 (21342488)	3
31 (18937590)	3
30 (11275723)	3
29 (18710440)	3
28 (20148365)	3
27 (23108238)	M
26 (10737472)	2
25 (24321262)	4
24 (18311784)	3
23 (19007371)	3
22 (17286945)	M
21 (7954317)	4
20 (24819422)	3

19 (25593113)	3
18 (24566409)	3
17 (2196982)	4
16 (14512329)	2
15 (15100536)	2
14 (16304081)	3
13 (-3195129)	4
5 (30803729)	4
3 (30523454)	3

CT abdomen and pelvis without and with IV contrast	May be appropriate (Disagreement)	Expert Opinion	☼☼☼☼ 10-30 mSv	☼☼☼☼☼ 10-30 mSv [ped]	5	5	3	3	5	1	0	1	2	1	0

References	Study Quality
48 (12090319)	4
47 (9888732)	4
46 (11734949)	3
45 (10350288)	4
44 (21843882)	2
43 (23325783)	2
42 (30456180)	4
41 (27867332)	3
40 (25304287)	3
39 (11796275)	2
38 (28296683)	3
37 (31607203)	2
36 (25410425)	2
35 (20937417)	2
34 (17082687)	1
33 (12704036)	3
32 (21342488)	3
31 (18937590)	3

30 (11275723)	3
29 (18710440)	3
28 (20148365)	3
16 (14512329)	2
15 (15100536)	2
13 (-3195129)	4
5 (30803729)	4
3 (30523454)	3

Radiography chest	May be appropriate	Limited	☼ <0.1 mSv	☼ <0.03 mSv [ped]	5	5	0	2	1	2	11	0	0	0	0
-------------------	--------------------	---------	------------	-------------------	---	---	---	---	---	---	----	---	---	---	---

References	Study Quality
13 (-3195129)	4
54 (27684653)	3
53 (21557795)	2

CT head with IV contrast	May be appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼ 0.3-3 mSv [ped]	4	4	6	0	1	3	4	1	1	0	0
--------------------------	--------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
57 (33525046)	2
56 (33578374)	4
13 (-3195129)	4
5 (30803729)	4

Bone scan whole body with SPECT or SPECT/CT area of interest	May be appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	4	4	2	2	4	2	4	2	0	0	0
--	--------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
14 (16304081)	3
13 (-3195129)	4
12 (11696720)	3
11 (4060382)	3
5 (30803729)	4

CT chest without and with IV contrast	Usually not appropriate	Strong	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	5	3	5	2	1	0	0	0	0
---------------------------------------	-------------------------	--------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
55 (31955483)	3
54 (27684653)	3
53 (21557795)	2
52 (19450840)	3
51 (25241004)	3
50 (20846691)	3
49 (26880407)	2
13 (-3195129)	4
5 (30803729)	4

CT head without IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼ 0.3-3 mSv [ped]	3	3	6	1	7	1	0	0	0	1	0
-----------------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
57 (33525046)	2
56 (33578374)	4
13 (-3195129)	4
5 (30803729)	4

CT head without and with IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	6	0	6	1	3	0	0	0	0
--------------------------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
57 (33525046)	2
56 (33578374)	4
13 (-3195129)	4
5 (30803729)	4

MRI abdomen without IV contrast	Usually not appropriate	Strong	0 0 mSv	0 0 mSv [ped]	3	3	5	2	5	1	3	0	0	0	0
---------------------------------	-------------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
69 (29724245)	2

68 (18076946)	3
67 (11832712)	3
66 (15665685)	2
65 (31741596)	3
64 (15615960)	2
63 (15100535)	2
62 (14684543)	3
33 (12704036)	3

MRI abdomen and pelvis without IV contrast	Usually not appropriate	Strong	0 0 mSv	0 0 mSv [ped]	3	3	4	2	6	3	1	0	0	0	0
--	-------------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
69 (29724245)	2
68 (18076946)	3
67 (11832712)	3
66 (15665685)	2
65 (31741596)	3
64 (15615960)	2
63 (15100535)	2
62 (14684543)	3
48 (12090319)	4
47 (9888732)	4
33 (12704036)	3
13 (-3195129)	4
5 (30803729)	4

MRI head without IV contrast	Usually not appropriate	Limited	0 0 mSv	0 0 mSv [ped]	3	3	6	2	5	2	0	1	0	0	0
------------------------------	-------------------------	---------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
57 (33525046)	2
56 (33578374)	4
13 (-3195129)	4
5 (30803729)	4

MRI head without and with IV contrast	Usually not appropriate	Limited	0 0 mSv	0 0 mSv [ped]	3	3	3	3	6	3	1	0	0	0	0
		References	Study Quality												
		57 (33525046)	2												
		56 (33578374)	4												
		13 (-3195129)	4												
		5 (30803729)	4												
MRU without IV contrast	Usually not appropriate	Limited	0 0 mSv	0 0 mSv [ped]	3	3	5	1	6	0	2	2	0	0	0
		References	Study Quality												
		5 (30803729)	4												
		13 (-3195129)	4												
MRU without and with IV contrast	Usually not appropriate	Limited	0 0 mSv	0 0 mSv [ped]	3	3	3	4	9	0	0	0	0	0	0
		References	Study Quality												
		13 (-3195129)	4												
		5 (30803729)	4												
Bone scan whole body	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	4	1	4	3	3	0	0	1	0
		References	Study Quality												
		13 (-3195129)	4												
		12 (11696720)	3												
		11 (4060382)	3												
		5 (30803729)	4												
FDG-PET/CT skull base to mid-thigh	Usually not appropriate	Strong	☼☼☼☼ 10-30 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	3	4	9	0	0	0	0	0	0
		References	Study Quality												
		59 (30120698)	2												
		60 (30234688)	2												
		58 (25210086)	4												

26 (10737472)	2
25 (24321262)	4
24 (18311784)	3
23 (19007371)	3
22 (17286945)	M
21 (7954317)	4
20 (24819422)	3
19 (25593113)	3
18 (24566409)	3
17 (2196982)	4
16 (14512329)	2
15 (15100536)	2
14 (16304081)	3
13 (-3195129)	4
5 (30803729)	4
3 (30523454)	3

CT abdomen and pelvis without IV contrast	Usually not appropriate	Strong	⊕⊕⊕ 1-10 mSv	⊕⊕⊕⊕ 3-10 mSv [ped]	2	2	4	5	7	0	0	0	0	0	0
---	-------------------------	--------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
48 (12090319)	4
47 (9888732)	4
46 (11734949)	3
45 (10350288)	4
44 (21843882)	2
43 (23325783)	2
42 (30456180)	4
41 (27867332)	3
40 (25304287)	3
39 (11796275)	2
38 (28296683)	3
37 (31607203)	2

36 (25410425)	2
35 (20937417)	2
34 (17082687)	1
33 (12704036)	3
32 (21342488)	3
31 (18937590)	3
30 (11275723)	3
29 (18710440)	3
28 (20148365)	3
16 (14512329)	2
15 (15100536)	2
13 (-3195129)	4
5 (30803729)	4
3 (30523454)	3

CT chest without IV contrast	Usually not appropriate	Strong	☼☼☼☼ 1-10 mSv	☼☼☼☼☼ 3-10 mSv [ped]	2	2	6	3	3	1	3	0	0	0	0
------------------------------	-------------------------	--------	---------------	----------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
55 (31955483)	3
54 (27684653)	3
53 (21557795)	2
52 (19450840)	3
51 (25241004)	3
50 (20846691)	3
49 (26880407)	2
13 (-3195129)	4
5 (30803729)	4

CTU without and with IV contrast	Usually not appropriate	Limited	☼☼☼☼☼ 10-30 mSv	☼☼☼☼☼☼ 10-30 mSv [ped]	2	2	4	6	6	0	0	0	0	0	0
----------------------------------	-------------------------	---------	-----------------	------------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
13 (-3195129)	4

63 (15100535)	2
49 (26880407)	2
34 (17082687)	1
13 (-3195129)	4
5 (30803729)	4

MRI abdomen without IV contrast	Usually appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	8	8	1	0	0	1	0	0	2	6	6
MRI abdomen and pelvis without IV contrast	Usually appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	8	8	0	0	1	0	1	2	3	6	3

References	Study Quality
5 (30803729)	4
13 (-3195129)	4
47 (9888732)	4
48 (12090319)	4

CT abdomen and pelvis without IV contrast	May be appropriate	Strong	⊕⊕⊕ 1-10 mSv	⊕⊕⊕⊕ 3-10 mSv [ped]	6	6	1	0	1	0	2	7	3	1	1
---	--------------------	--------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
48 (12090319)	4
47 (9888732)	4
16 (14512329)	2
15 (15100536)	2

CT abdomen without IV contrast	May be appropriate (Disagreement)	Expert Opinion	⊕⊕⊕ 1-10 mSv	⊕⊕⊕⊕ 3-10 mSv [ped]	5	5	1	1	0	1	2	5	5	1	0
--------------------------------	-----------------------------------	----------------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
16 (14512329)	2
15 (15100536)	2

MRI head without IV contrast	May be appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	4	4	1	3	3	7	2	0	0	0	0
------------------------------	--------------------	---------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4

			13 (-3195129)		4														
Bone scan whole body	May be appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	4	4	5	1	2	4	3	0	0	1	0				
			References		Study Quality														
			13 (-3195129)		4														
			12 (11696720)		3														
			11 (4060382)		3														
			5 (30803729)		4														
Bone scan whole body with SPECT or SPECT/CT area of interest	May be appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	4	4	0	1	1	12	2	0	0	0	0				
			References		Study Quality														
			14 (16304081)		3														
			13 (-3195129)		4														
			12 (11696720)		3														
			11 (4060382)		3														
			5 (30803729)		4														
Radiography chest	May be appropriate	Limited	☼ <0.1 mSv	☼ <0.03 mSv [ped]	4	4	0	2	2	8	3	1	0	0	0				
			References		Study Quality														
			13 (-3195129)		4														
			54 (27684653)		3														
			55 (31955483)		3														
CT head without IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼ 0.3-3 mSv [ped]	3	3	1	1	7	5	2	0	0	0	0				
			References		Study Quality														
			5 (30803729)		4														
			13 (-3195129)		4														
FDG-PET/CT skull base to mid-thigh	Usually not appropriate	Strong	☼☼☼☼ 10-30 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	3	3	8	2	0	0	0	0	0				

References	Study Quality
5 (30803729)	4
13 (-3195129)	4
60 (30234688)	2
59 (30120698)	2
58 (25210086)	4

Fluoride PET/CT skull base to mid-thigh	Usually not appropriate	Limited	☼☼☼☼ 10-30 mSv		3	3	6	2	5	1	0	0	2	0	0
---	-------------------------	---------	----------------	--	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4
61 (26202597)	3

MRU without IV contrast	Usually not appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	2	2	8	2	6	0	0	0	0	0	0
-------------------------	-------------------------	---------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4

US abdomen	Usually not appropriate	Strong	○ 0 mSv	○ 0 mSv [ped]	2	2	7	4	4	0	0	0	1	0	0
------------	-------------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4
73 (28073200)	3
72 (33006090)	2
71 (7347111)	3
70 (6252674)	3

US abdomen with IV contrast	Usually not appropriate	Strong	○ 0 mSv	○ 0 mSv [ped]	2	2	7	5	3	0	0	0	0	1	0
-----------------------------	-------------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4

73 (28073200)	3
72 (33006090)	2
71 (7347111)	3
70 (6252674)	3

CT abdomen with IV contrast	Usually not appropriate	Strong	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	1	1	13	1	0	0	0	0	1	1	0
-----------------------------	-------------------------	--------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
15 (15100536)	2
16 (14512329)	2

CT abdomen without and with IV contrast	Usually not appropriate	Strong	☼☼☼☼ 10-30 mSv	☼☼☼☼☼ 10-30 mSv [ped]	1	1	13	1	1	0	0	0	1	0	0
---	-------------------------	--------	----------------	-----------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
16 (14512329)	2
15 (15100536)	2

CT abdomen and pelvis with IV contrast	Usually not appropriate	Strong	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	1	1	12	2	1	0	0	0	1	0	0
--	-------------------------	--------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
48 (12090319)	4
47 (9888732)	4
16 (14512329)	2
15 (15100536)	2

CT abdomen and pelvis without and with IV contrast	Usually not appropriate	Strong	☼☼☼☼ 10-30 mSv	☼☼☼☼☼ 10-30 mSv [ped]	1	1	12	2	1	0	0	0	1	0	0
--	-------------------------	--------	----------------	-----------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
48 (12090319)	4
47 (9888732)	4
16 (14512329)	2
15 (15100536)	2

CT chest with IV contrast	Usually not appropriate	Strong	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	1	1	13	1	1	0	0	0	1	0	0
---------------------------	-------------------------	--------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
75 (17487856)	3
74 (15577678)	4
64 (15615960)	2
63 (15100535)	2
49 (26880407)	2
34 (17082687)	1
13 (-3195129)	4
5 (30803729)	4

CT chest without and with IV contrast	Usually not appropriate	Strong	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	1	1	13	1	1	0	0	0	1	0	0
---------------------------------------	-------------------------	--------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
75 (17487856)	3
74 (15577678)	4
64 (15615960)	2
63 (15100535)	2
49 (26880407)	2
34 (17082687)	1
13 (-3195129)	4
5 (30803729)	4

CT head with IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼ 0.3-3 mSv [ped]	1	1	14	1	1	0	0	0	0	0	0
--------------------------	-------------------------	---------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4

CT head without and with IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	1	1	14	1	1	0	0	0	0	0	0
--------------------------------------	-------------------------	---------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
------------	---------------

			5 (30803729)		4													
			13 (-3195129)		4													
CTU without and with IV contrast	Usually not appropriate	Limited	⊗⊗⊗⊗ 10-30 mSv	⊗⊗⊗⊗⊗ 10-30 mSv [ped]	1	1	14	0	2	0	0	0	0	0	0	0	0	
			References		Study Quality													
			5 (30803729)		4													
			13 (-3195129)		4													
MRI abdomen without and with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	1	1	14	1	1	0	0	0	0	0	0	0	0	
MRI abdomen and pelvis without and with IV contrast	Usually not appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	1	1	12	2	2	0	0	0	0	0	0	0	0	
			References		Study Quality													
			5 (30803729)		4													
			13 (-3195129)		4													
			47 (9888732)		4													
			48 (12090319)		4													
MRI head without and with IV contrast	Usually not appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	1	1	13	1	2	0	0	0	0	0	0	0	0	
			References		Study Quality													
			5 (30803729)		4													
			13 (-3195129)		4													
MRU without and with IV contrast	Usually not appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	1	1	13	1	2	0	0	0	0	0	0	0	0	
			References		Study Quality													
			5 (30803729)		4													
			13 (-3195129)		4													

Variant 3: Renal cell carcinoma. Contraindication only to iodinated CT intravenous contrast. Staging.

Procedure	Appropriateness Category	SOE	Adults RRL	Peds RRL	Rating	Median	Final Tabulations								
							1	2	3	4	5	6	7	8	9
MRI abdomen without and with IV contrast	Usually appropriate	Strong	0 0 mSv	0 0 mSv [ped]	8	8	0	1	0	0	1	0	4	8	2

References	Study Quality
33 (12704036)	3
69 (29724245)	2
68 (18076946)	3
67 (11832712)	3
66 (15665685)	2
65 (31741596)	3
64 (15615960)	2
63 (15100535)	2
62 (14684543)	3

MRI abdomen and pelvis without and with IV contrast	Usually appropriate	Strong	0 0 mSv	0 0 mSv [ped]	8	8	0	1	0	0	0	1	5	6	3
---	---------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
69 (29724245)	2
68 (18076946)	3
67 (11832712)	3
66 (15665685)	2
65 (31741596)	3
64 (15615960)	2
63 (15100535)	2
62 (14684543)	3
48 (12090319)	4
47 (9888732)	4
33 (12704036)	3
13 (-3195129)	4
5 (30803729)	4

66 (15665685)	2
65 (31741596)	3
64 (15615960)	2
63 (15100535)	2
62 (14684543)	3
48 (12090319)	4
47 (9888732)	4
33 (12704036)	3
13 (-3195129)	4
5 (30803729)	4

MRI head without IV contrast	Usually not appropriate	Limited	0 0 mSv	0 0 mSv [ped]	3	3	5	2	7	1	0	0	1	0	0
------------------------------	-------------------------	---------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4

MRI head without and with IV contrast	Usually not appropriate	Limited	0 0 mSv	0 0 mSv [ped]	3	3	1	1	7	6	1	0	0	0	0
---------------------------------------	-------------------------	---------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4

Bone scan whole body	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	4	2	3	2	4	0	0	1	0
----------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
13 (-3195129)	4
12 (11696720)	3
11 (4060382)	3
5 (30803729)	4

FDG-PET/CT skull base to mid-thigh	Usually not appropriate	Strong	☼☼☼☼ 10-30 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	4	4	7	1	0	0	0	0	0
------------------------------------	-------------------------	--------	----------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
------------	---------------

60 (30234688)	2
59 (30120698)	2
58 (25210086)	4
13 (-3195129)	4
5 (30803729)	4

Fluoride PET/CT skull base to mid-thigh	Usually not appropriate	Limited	⊕⊕⊕⊕ 10-30 mSv		3	3	5	3	4	1	1	1	1	0	0
---	-------------------------	---------	----------------	--	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4
61 (26202597)	3

MRU without IV contrast	Usually not appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	2	2	8	2	6	0	0	0	0	0	0
-------------------------	-------------------------	---------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4

MRU without and with IV contrast	Usually not appropriate	Limited	○ 0 mSv	○ 0 mSv [ped]	2	2	8	2	5	1	0	0	0	0	0
----------------------------------	-------------------------	---------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4

US abdomen	Usually not appropriate	Strong	○ 0 mSv	○ 0 mSv [ped]	2	2	8	2	5	0	0	0	1	0	0
------------	-------------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
5 (30803729)	4
13 (-3195129)	4
73 (28073200)	3
72 (33006090)	2
71 (7347111)	3
70 (6252674)	3

US abdomen with IV contrast	Usually not appropriate	Strong	0 0 mSv	0 0 mSv [ped]	2	2	8	3	4	0	0	0	0	1	0
		References		Study Quality											
		5 (30803729)		4											
		13 (-3195129)		4											
		73 (28073200)		3											
		72 (33006090)		2											
		71 (7347111)		3											
		70 (6252674)		3											
CT abdomen with IV contrast	Usually not appropriate	Strong	⊕⊕⊕ 1-10 mSv	⊕⊕⊕⊕ 3-10 mSv [ped]	1	1	12	2	1	0	0	0	1	0	0
		References		Study Quality											
		15 (15100536)		2											
		16 (14512329)		2											
CT abdomen without and with IV contrast	Usually not appropriate	Strong	⊕⊕⊕⊕ 10-30 mSv	⊕⊕⊕⊕⊕ 10-30 mSv [ped]	1	1	12	1	2	0	0	0	1	0	0
		References		Study Quality											
		15 (15100536)		2											
		16 (14512329)		2											
CT abdomen and pelvis with IV contrast	Usually not appropriate	Strong	⊕⊕⊕ 1-10 mSv	⊕⊕⊕⊕ 3-10 mSv [ped]	1	1	13	2	0	0	0	0	1	0	0
		References		Study Quality											
		48 (12090319)		4											
		47 (9888732)		4											
		16 (14512329)		2											
		15 (15100536)		2											
CT abdomen and pelvis without and with IV contrast	Usually not appropriate	Strong	⊕⊕⊕⊕ 10-30 mSv	⊕⊕⊕⊕⊕ 10-30 mSv [ped]	1	1	13	2	0	0	0	0	1	0	0

References	Study Quality
48 (12090319)	4
47 (9888732)	4
16 (14512329)	2
15 (15100536)	2

CT chest with IV contrast	Usually not appropriate	Strong	⊕⊕⊕ 1-10 mSv	⊕⊕⊕⊕ 3-10 mSv [ped]	1	1	12	1	2	0	0	0	1	0	0
---------------------------	-------------------------	--------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
75 (17487856)	3
74 (15577678)	4
64 (15615960)	2
63 (15100535)	2
49 (26880407)	2
34 (17082687)	1
13 (-3195129)	4
5 (30803729)	4

CT chest without and with IV contrast	Usually not appropriate	Strong	⊕⊕⊕ 1-10 mSv	⊕⊕⊕⊕ 3-10 mSv [ped]	1	1	12	1	2	0	0	0	1	0	0
---------------------------------------	-------------------------	--------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
75 (17487856)	3
74 (15577678)	4
64 (15615960)	2
63 (15100535)	2
49 (26880407)	2
34 (17082687)	1
13 (-3195129)	4
5 (30803729)	4

CT head with IV contrast	Usually not appropriate	Limited	⊕⊕⊕ 1-10 mSv	⊕⊕⊕ 0.3-3 mSv [ped]	1	1	14	1	1	0	0	0	0	0	0
--------------------------	-------------------------	---------	--------------	---------------------	---	---	----	---	---	---	---	---	---	---	---

References	Study Quality
------------	---------------

Appendix Key

A more complete discussion of the items presented below can be found by accessing the supporting documents at the designated hyperlinks.

Appropriateness Category: The panel's recommendation for a procedure based on the assessment of the risks and benefits of performing the procedure for the specified clinical scenario.

SOE: Strength of Evidence. The assessment of the amount and quality of evidence found in the peer reviewed medical literature for an appropriateness recommendation.

- **References:** The citation number and PMID for the reference(s) associated with the recommendation.
- **Study Quality:** The assessment of the quality of an individual reference based on the number of study quality elements described in the reference.

RRL: Relative Radiation Level. A population based assessment of the amount of radiation a typical patient may be exposed to during the specified procedure.

Rating: The final rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

Median: The median rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

Final tabulations: A histogram showing the number of panel members who rated the procedure as noted in the column heading (ie, 1, 2, 3, etc.).

Additional supporting documents about the AC methodology and processes can be found at www.acr.org/ac.