American College of Radiology ACR Appropriateness Criteria®

Male Breast Cancer Screening

Variant 1: Adult male. Breast cancer screening. Higher-than-average risk.

	Appropriateness	207					Final Tabulations											
Procedure	Category	SOE	Adults RRL	Peds RRL	Rating	Median	1	2	3	4	5	6	7	1	9			
Mammography screening	Usually appropriate	Limited	�� 0.1-1mSv	/	7	7	0	0	0	0	3	5	7	1	2			
		References		Study	Quality													
		3 (32058842)																
		20 (-3197516)			4													
		12 (31526252))		3													
		19 (32828665))															
		15 (-3197512)			4													
Digital breast tomosynthesis screening	Usually appropriate	Limited	�� 0.1-1mSv	/	7	7	0	0	0	0	2	5	8	1	2			
		References		Study														
		19 (32828665))															
		12 (31526252))															
		20 (-3197516)		4 4														
		15 (-3197512)																
		3 (32058842)			4			1										
MRI breast without IV contrast	Usually not appropriate	Limited	O 0 mSv	O 0 mSv [ped]	1	1	15	2	1	0	0	0	0	0	0			
		References		Study Quality														
		3 (32058842)		·	4													

			O 0 mS\	v	O 0 mSv [ped]	1	1	10	4	1	1	2	0	0	0	0
	References			Study Quality					•	•		•		•		
				4												
		Limited	O 0 mSv		O 0 mSv [ped]	1	1	12	2	2	1	1	0	0	0	0
		References Study Quality														
		12 (31526252)			3											
		Expert Consensus	��� 1-10 mSv			1	1	16	0	2	0	0	0	0	0	0
		Expert Consensus	�� 0.1-1mSv			1	1	11	2	2	1	1	1	0	0	0
		Limited	O 0 mSv	v	O 0 mSv [ped]	1	1	11	3	1	1	2	0	0	0	0
•		References			Study	Quality										
		3 (32058842)				4										
		Limited	Limited O 0 mSv		O 0 mSv [ped]	1	1	15	2	1	0	0	0	0	0	0
		References			Study Quality			•								
		3 (32058842)			· · · · · · · · · · · · · · · · · · ·	4										
	Usuall; approp Usuall; approp Usuall; approp Usuall; approp	Usually not appropriate Usually not appropriate	appropriate References 3 (32058842) Usually not appropriate References 12 (31526252) Usually not appropriate Usually not appropriate Usually not appropriate References 12 (31526252) Limited Expert Consensus Usually not appropriate References 3 (32058842) Usually not appropriate References References References	References 3 (32058842) Usually not appropriate References 12 (31526252) Usually not appropriate Consensus Expert Consensus Usually not appropriate Limited O 0 mSv Expert Consensus Expert Consensus O 0 mSv A consensus Expert Consensus Usually not appropriate Limited O 0 mSv References 3 (32058842) Usually not appropriate References References References References	References 3 (32058842) Usually not appropriate References 12 (31526252) Usually not appropriate Expert Consensus Usually not appropriate Usually not appropriate Limited O 0 mSv Expert Consensus Usually not appropriate Limited O 0 mSv Expert Consensus Usually not appropriate Limited O 0 mSv References 3 (32058842) Usually not appropriate Limited O 0 mSv References References 3 (32058842)	References 3 (32058842) Usually not appropriate References References Study 3 (32058842) Usually not appropriate Expert Consensus Usually not appropriate Limited O 0 mSv [ped] References Study 12 (31526252) Usually not appropriate Usually not appropriate Expert Consensus O 0 mSv O 0 mSv [ped] References Study Study	References 3 (32058842) Usually not appropriate References 1	References Study Quality								

Variant 2: Adult male. Breast cancer screening. Average risk.

Procedure	Appropriateness	SOE	Adults RRL	Peds RRL	Rating	Median	Final Tabulations										
	Category						1	2	3	4	5	6	7	8	9		
Mammography screening	Usually not appropriate	Limited	�� 0.1-1mSv		1	1	16	1	1	0	0	0	0	0	0		

References	Study Quality
21 (-3197518)	4

MRI breast without IV contrast	Usuall approp				O 0 mSv [ped]	1	1	17	1	0	0	0	0	0	0	0
			References		Study Quality											
			21 (-3197518)			4										
MRI breast without and with IV contrast	Usuall approp		Expert Consensus O 0 mSv		O 0 mSv [ped]	1	1	17	1	0	0	0	0	0	0	0
US breast	Usuall approp		Limited O 0 mSv		O 0 mSv [ped]	1	1	17	1	0	0	0	0	0	0	0
			References		Study	y Quality										
			21 (-3197518)													
Digital breast tomosynthesis screening	Usuall approp		Limited	�� 0.1-1mS	v	1	1	16	1	1	0	0	0	0	0	0
			References		Study Quality		-									
			21 (-3197518)			4										
Sestamibi MBI	Usuall approp		Expert Consensus	��� 1-10 mSv		1	1	17	1	0	0	0	0	0	0	0
Mammography with IV contrast	Usuall: approp		Limited	�� 0.1-1mS	v	1	1	17	1	0	0	0	0	0	0	0
			References		Study Quality											
			21 (-3197518)			4										
MRI breast without and with IV contrast abbreviated	Usuall approp		Limited	O 0 mSv	O 0 mSv [ped]	1	1	17	1	0	0	0	0	0	0	0
			References		Study	Study Quality										
			21 (-3197518)			4										
MRI breast without IV contrast abbreviated	Usuall approp		Limited	O 0 mSv	O 0 mSv [ped]	1	1	17	1	0	0	0	0	0	0	0
			References		Study	y Quality										
		21 (-3197518)			4											

Variant 3: Adult male, younger than 25 years of age. Breast cancer screening. Any risk.

n 1	Appropriateness Category	SOE	A dulta DDI	Peds RRL	Dating	3.6 11			F	Final Tabulations											
Procedure			Adults RRL	Peds RRL	Rating	Median	1	2	3	4	5	6	7	8	9						
Mammography screening	Usually not appropriate	Expert Consensus	�� 0.1-1mSv		1	1	18	0	0	0	0	0	0	0	0						
MRI breast without IV contrast	Usually not appropriate	Expert Consensus	O 0 mSv	O 0 mSv [ped]	1	1	18	0	0	0	0	0	0	0	0						
MRI breast without and with IV contrast	Usually not appropriate	Expert Consensus	O 0 mSv	O 0 mSv [ped]	1	1	17	0	1	0	0	0	0	0	0						
US breast	Usually not appropriate	Expert Consensus	O 0 mSv	O 0 mSv [ped]	1	1	17	0	0	0	1	0	0	0	0						
Digital breast tomosynthesis screening	Usually not appropriate	Expert Consensus	�� 0.1-1mSv		1	1	18	0	0	0	0	0	0	0	0						
Sestamibi MBI	Usually not appropriate	Expert Consensus	��� 1-10 mSv		1	1	18	0	0	0	0	0	0	0	0						
Mammography with IV contrast	Usually not appropriate	Expert Consensus	�� 0.1-1mSv		1	1	18	0	0	0	0	0	0	0	0						
MRI breast without and with IV contrast abbreviated	Usually not appropriate	Expert Consensus	O 0 mSv	O 0 mSv [ped]	1	1	17	0	1	0	0	0	0	0	0						
MRI breast without IV contrast abbreviated	Usually not appropriate	Expert Consensus	O 0 mSv	O 0 mSv [ped]	1	1	18	0	0	0	0	0	0	0	0						

Appendix Key

A more complete discussion of the items presented below can be found by accessing the supporting documents at the designated hyperlinks.

Appropriateness Category: The panel's recommendation for a procedure based on the assessment of the risks and benefits of performing the procedure for the specified clinical scenario.

SOE: Strength of Evidence. The assessment of the amount and quality of evidence found in the peer reviewed medical literature for an appropriateness recommendation.

- **References:** The citation number and PMID for the reference(s) associated with the recommendation.
- Study Quality: The assessment of the quality of an individual reference based on the number of study quality elements described in the reference.

RRL: Relative Radiation Level. A population based assessment of the amount of radiation a typical patient may be exposed to during the specified procedure.

Rating: The final rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

Median: The median rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

Final tabulations: A histogram showing the number of panel members who rated the procedure as noted in the column heading (ie, 1, 2, 3, etc.).

Additional supporting documents about the AC methodology and processes can be found at www.acr.org/ac.