

**American College of Radiology
ACR Appropriateness Criteria®**

Chest Pain-Possible Acute Coronary Syndrome

Variant 1: Chest pain, low to intermediate probability for acute coronary syndrome. Initial imaging.

Procedure	Appropriateness Category	SOE	Adults RRL	Peds RRL	Rating	Median	Final Tabulations								
							1	2	3	4	5	6	7	8	9
CTA coronary arteries with IV contrast	Usually appropriate	Strong	⊕⊕⊕ 1-10 mSv		8	8	0	0	0	1	1	0	0	7	7

References	Study Quality
19 (17692738)	4
64 (17549487)	4
59 (17010819)	4
60 (19406338)	2
61 (17320744)	2
62 (17075011)	2
63 (17398185)	3
92 (24486266)	2
71 (22449295)	1
75 (23255742)	3
70 (22830462)	1
74 (23538167)	4
69 (21939822)	3
90 (22032711)	2
91 (22922562)	1
65 (26052677)	2
72 (22055795)	M
85 (24255127)	1

73 (19007693)	1
1 (28279382)	4
79 (27886161)	4
84 (27718140)	4
82 (28290782)	3
89 (27470449)	2
93 (27050025)	4
67 (27220653)	3
68 (27006119)	2
78 (26764061)	3
66 (26577263)	2
80 (26476506)	4
87 (25752898)	2
81 (25711274)	2
86 (23617513)	3
76 (25863305)	Inadequate
77 (25713467)	2
83 (22895647)	4
88 (28109933)	3

US echocardiography transthoracic stress	Usually appropriate	Strong	0 0 mSv	0 0 mSv [ped]	7	7	0	0	0	0	3	7	9	1	0
---	------------------------	--------	---------	------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
42 (12671809)	4
40 (27865485)	3
46 (26511125)	2
43 (24768667)	3
41 (25635106)	4
44 (17884363)	2
45 (21562726)	3
47 (20554154)	2

54 (24612899)	4
41 (25635106)	4
49 (21111923)	4
50 (22014426)	2
52 (15917277)	3
53 (20159647)	4
55 (20185525)	3
56 (23582354)	3

MRI heart with function and vasodilator stress perfusion without and with IV contrast	May be appropriate	Strong	0 0 mSv	0 0 mSv [ped]	5	5	0	0	0	3	9	7	0	1	0
---	--------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
111 (19787721)	2
110 (19772587)	4
114 (23664718)	2
119 (22196944)	3
113 (23578348)	4
112 (26268824)	2
45 (21562726)	3
118 (18381373)	4
117 (17868810)	3
120 (18208849)	2
121 (22992411)	4

Rb-82 PET/CT heart	May be appropriate (Disagreement)	Expert Opinion	☢☢☢☢ 10-30 mSv		5	n/a	0	0	0	0	0	0	0	0	0
--------------------	-----------------------------------	----------------	----------------	--	---	-----	---	---	---	---	---	---	---	---	---

References	Study Quality
109 (22554604)	M
108 (15937302)	3
105 (20660808)	1
106 (18342769)	Good
107 (19618180)	2

CT coronary calcium	May be appropriate	Moderate	⊕⊕⊕ 1-10 mSv		4	4	3	2	2	3	6	0	0	0	0
---------------------	--------------------	----------	--------------	--	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
94 (20360291)	2
99 (22825529)	4
100 (24513880)	3
97 (25937196)	4
98 (28390834)	4
95 (27765299)	Good
96 (22820732)	4

MRI heart function and morphology without and with IV contrast	May be appropriate	Strong	○ 0 mSv	○ 0 mSv [ped]	4	4	1	1	3	6	8	1	0	0	0
--	--------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
111 (19787721)	2
110 (19772587)	4
124 (18678772)	2
122 (12566362)	2
131 (28005512)	4
129 (26590396)	3
123 (15582315)	2
125 (20510215)	4
126 (19332480)	4
127 (28645959)	4
128 (26146527)	4
130 (22309452)	3

MRI heart with function and inotropic stress without IV contrast	May be appropriate	Strong	○ 0 mSv	○ 0 mSv [ped]	4	4	4	2	2	2	4	2	0	0	0
--	--------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
116 (20883929)	3
111 (19787721)	2

110 (19772587)	4
114 (23664718)	2
113 (23578348)	4
112 (26268824)	2
45 (21562726)	3
115 (20977757)	4

MRI heart with function and inotropic stress without and with IV contrast	May be appropriate	Strong	0 0 mSv	0 0 mSv [ped]	4	4	0	2	1	9	6	1	0	1	0
---	--------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
116 (20883929)	3
111 (19787721)	2
110 (19772587)	4
114 (23664718)	2
113 (23578348)	4
112 (26268824)	2
45 (21562726)	3
115 (20977757)	4

CT chest with IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	1	8	8	2	1	0	0	0	0
---------------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
102 (26883335)	4
101 (27593539)	3

CT chest without and with IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	3	3	5	3	4	2	2	0	0	0	0
---------------------------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
102 (26883335)	4
101 (27593539)	3

MRI heart function and morphology without IV contrast	Usually not appropriate	Strong	0 0 mSv	0 0 mSv [ped]	3	3	3	3	5	2	2	0	1	0	0
---	-------------------------	--------	---------	---------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
------------	---------------

111 (19787721)	2
110 (19772587)	4
124 (18678772)	2
122 (12566362)	2
131 (28005512)	4
129 (26590396)	3
123 (15582315)	2
125 (20510215)	4
126 (19332480)	4
127 (28645959)	4
128 (26146527)	4
130 (22309452)	3

CT chest without IV contrast	Usually not appropriate	Limited	☼☼☼ 1-10 mSv	☼☼☼☼ 3-10 mSv [ped]	2	2	6	7	2	0	0	0	0	1	0
------------------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
102 (26883335)	4
101 (27593539)	3

Arteriography coronary	Usually not appropriate	Limited	☼☼☼ 1-10 mSv		2	2	4	5	4	0	1	1	1	0	0
------------------------	-------------------------	---------	--------------	--	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
30 (26810814)	4

MRA coronary arteries without IV contrast	Usually not appropriate	Moderate	○ 0 mSv	○ 0 mSv [ped]	2	2	5	10	5	0	0	0	0	0	0
---	-------------------------	----------	---------	---------------	---	---	---	----	---	---	---	---	---	---	---

References	Study Quality
132 (18586979)	4
119 (22196944)	3
133 (20513610)	4
134 (20828652)	2
135 (26965732)	4

Radiography chest	Usually appropriate	Limited	☼ <0.1 mSv	☼ <0.03 mSv [ped]	7	7	0	0	0	1	2	0	9	6	2	
		References	Study Quality													
		31 (24595499)	2													
MRI heart function and morphology without and with IV contrast	May be appropriate (Disagreement)	Expert Opinion	○ 0 mSv	○ 0 mSv [ped]	5	5	0	2	4	2	8	2	1	1	0	
		References	Study Quality													
		145 (25782462)	3													
		125 (20510215)	4													
		126 (19332480)	4													
		127 (28645959)	4													
		128 (26146527)	4													
		144 (20117357)	4													
US echocardiography transthoracic resting	May be appropriate	Strong	○ 0 mSv	○ 0 mSv [ped]	5	5	0	0	2	2	11	4	1	0	0	
		References	Study Quality													
		51 (15215802)	2													
		57 (26349786)	3													
		48 (24745875)	4													
		54 (24612899)	4													
		41 (25635106)	4													
		49 (21111923)	4													
		50 (22014426)	2													
		52 (15917277)	3													
		53 (20159647)	4													
		55 (20185525)	3													
		56 (23582354)	3													
US echocardiography transthoracic stress	May be appropriate (Disagreement)	Expert Opinion	○ 0 mSv	○ 0 mSv [ped]	5	5	1	2	6	2	6	1	2	0	0	

SPECT or SPECT/CT MPI rest only	May be appropriate (Disagreement)	Expert Opinion	☹☹☹ 1-10 mSv		5	n/a	0	0	0	0	0	0	0	0	0	0	0
SPECT or SPECT/CT MPI rest only	May be appropriate (Disagreement)	Expert Opinion	☹☹☹ 1-10 mSv		5	5	3	1	4	4	5	2	1	0	0	0	0
CTA coronary arteries with IV contrast	May be appropriate	Expert Consensus	☹☹☹ 1-10 mSv		4	4	0	4	4	5	6	1	0	0	0	0	0
SPECT or SPECT/CT MPI rest and stress	May be appropriate	Strong	☹☹☹☹ 10-30 mSv	☹☹☹☹☹ 10-30 mSv [ped]	4	n/a	0	0	0	0	0	0	0	0	0	0	0

References	Study Quality
146 (17174181)	1
147 (10080466)	1

SPECT or SPECT/CT MPI rest and stress	May be appropriate	Strong	☹☹☹☹ 10-30 mSv	☹☹☹☹☹ 10-30 mSv [ped]	4	4	0	2	3	10	3	1	1	0	0	0	0
---------------------------------------	--------------------	--------	----------------	-----------------------	---	---	---	---	---	----	---	---	---	---	---	---	---

References	Study Quality
146 (17174181)	1
147 (10080466)	1

CTA chest with IV contrast	Usually not appropriate	Limited	☹☹☹ 1-10 mSv	☹☹☹☹ 3-10 mSv [ped]	3	3	2	4	7	5	1	0	1	0	0	0	0
----------------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
27 (17996512)	3
103 (27819965)	4

CT chest with IV contrast	Usually not appropriate	Limited	☹☹☹ 1-10 mSv	☹☹☹☹ 3-10 mSv [ped]	3	3	3	5	5	1	2	0	0	0	0	0	0
---------------------------	-------------------------	---------	--------------	---------------------	---	---	---	---	---	---	---	---	---	---	---	---	---

References	Study Quality
102 (26883335)	4
101 (27593539)	3

MRI heart with function and vasodilator stress perfusion without and with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	7	3	3	1	0	0	2	0	0
MRI heart with function and inotropic stress without and with IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	2	2	8	2	3	1	0	0	2	0	0
Rb-82 PET/CT heart	Usually not appropriate	Expert Consensus	☢☢☢☢ 10-30 mSv		2	n/a	0	0	0	0	0	0	0	0	0
Rb-82 PET/CT heart	Usually not appropriate	Expert Consensus	☢☢☢☢ 10-30 mSv		2	2	7	8	2	2	1	0	0	0	0
MRI heart with function and inotropic stress without IV contrast	Usually not appropriate	Expert Consensus	○ 0 mSv	○ 0 mSv [ped]	1	1	9	2	3	0	0	1	1	0	0

Appendix Key

A more complete discussion of the items presented below can be found by accessing the supporting documents at the designated hyperlinks.

Appropriateness Category: The panel's recommendation for a procedure based on the assessment of the risks and benefits of performing the procedure for the specified clinical scenario.

SOE: Strength of Evidence. The assessment of the amount and quality of evidence found in the peer reviewed medical literature for an appropriateness recommendation.

- **References:** The citation number and PMID for the reference(s) associated with the recommendation.
- **Study Quality:** The assessment of the quality of an individual reference based on the number of study quality elements described in the reference.

RRL: Relative Radiation Level. A population based assessment of the amount of radiation a typical patient may be exposed to during the specified procedure.

Rating: The final rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

Median: The median rating (1-9 scale) for the procedure as determined by the panel during rating rounds.

Final tabulations: A histogram showing the number of panel members who rated the procedure as noted in the column heading (ie, 1, 2, 3, etc.).

Additional supporting documents about the AC methodology and processes can be found at www.acr.org/ac.